


# PRODUCT CATALOGUE

MDA 2026 Edition



# ABOUT mayer

Founded in 1987, Mayer is a trusted and innovative kitchen appliance brand grounded in the belief that every moment matters. Guided by the commitment to ***Creating Joyful Moments***, Mayer designs and delivers thoughtfully engineered, reliable, and stylish kitchen solutions that simplify everyday cooking and enhance home living experiences across the globe.

Mayer's comprehensive portfolio includes built-in cooking appliances such as ovens and microwave ovens, as well as integrated cooktop systems that combine hobs and cooker hoods for a seamless built-in solution. The brand also offers versatile cooking options through multifunctional air fryer ovens and freestanding cooking appliances, alongside refrigeration and wine chillers to support modern food storage needs. In addition, Mayer's extensive range of small kitchen appliances is designed to cater to everyday household routines.

By seamlessly integrating advanced technology with contemporary design, Mayer continues to meet the evolving needs of modern households in diverse markets. Rooted in the cultural significance of food and shared experiences, Mayer inspires and empowers consumers to create meaningful and memorable moments with loved ones—transforming ordinary routines into cherished memories.

## TRENDY

We constantly introduce products that meet the changing needs and tastes of our customers. Our products are modern and also embrace up to date design.



## DELIGHTFUL

Mayer constantly delight the customer by meeting their expectations, and creating positive joyful and happy experiences for their customer.



## EXCITEMENT

Mayer will always remain contemporary and youthful, spirited brand delivering experiences that are fun and engaging. Customers who indulge in Mayer know that they will constantly be engaged with new idea and surprises.



## TRUSTWORTHY

Customers trust us as the kitchen specialist to consistently deliver a variety of reliable, quality products.



## TOGETHERNESS

Food is an important part of any celebrations, especially in all cultures. More so in Asian cultures, where people come together to cook/dine on special occasions. Mayer product simplifies the process of cooking allowing more time to spend with loved ones.



# CONTENT



02

Hobs & Hoods

37

Built-in  
Microwave Oven

45

Refrigerators

50

Wine Chillers

# HOBS AND HOODS

Elevate your cooking experience with our hobs and hoods, combining precise heat control with powerful air extraction. Designed for performance, style, and everyday convenience.



# Induction Hobs





## 75cm 2 Zones Hybrid Hob with Slider


MMIHB752CS

Voltage : 220-240V~50-60Hz  
 Wattage : 2800 W / 13 AMP  
 Left Zone : 2100 W  
 Right EGO Radiant Zone : 1700 W  
 Electrical Cord Length : 150 cm  
 Plug Type : Copper BS PLUG cable

Pot Size : 100 - 200 mm  
 Product Dimension : L750 \* W450 \* H65 mm  
 Cut Out Dimension : L650 \* W340 mm  
 Net Weight : 9.06 KGS  
 Gross Weight : 10.57 KGS  
 Maximum Weight Load : 25 KGS

### FEATURES

- Schott Ceran Glass
- 9 Heating Power Levels + Boost
- 240mins Timer
- Touch Sensor Control Panel with Sliding
- EGO Double Circle Heating Element
- Automatic Pan Recognition System (Induction)
- Safety Lock Function
- Overheat / Voltage / Current Protection





## 75cm 2 Zones Induction Hob with Slider


MMIH752CS

Voltage : 220-240V~50-60Hz  
 Wattage : 2800 W / 13 AMP  
 Left Zone : 2100 W  
 Right Zone : 1800 W  
 Electrical Cord Length : 150 cm  
 Plug Type : Copper BS PLUG cable

Pot Size : 100 - 260 mm  
 Product Dimension : L750 \* W450 \* H75 mm  
 Cut Out Dimension : L650 \* W340 mm  
 Net Weight : 10.74 KGS  
 Gross Weight : 12.23 KGS  
 Maximum Weight Load : 25 KGS

### FEATURES

- Schott Ceran Glass
- 9 Heating Power Levels + Boost
- 240mins Timer
- Touch Sensor Control Panel with Sliding
- Power and Temperature Level Setting
- Automatic Pan Recognition System
- Overheat / Voltage / Current Protection






## 60cm Flexi 3 Zone Induction Hob

MMIH603FZ

|                        |                         |                            |                        |
|------------------------|-------------------------|----------------------------|------------------------|
| Voltage                | : 220-240V / 50Hz       | Plug Type                  | : No Plug              |
| Available Wattage      | : 2800 W / 13 AMP       | Pot Size (Individual Zone) | : 100 - 200 mm         |
|                        | : 3300 W / 15 AMP       | Pot Size (Flexi Zone)      | : 100 - 185 * 370 mm   |
|                        | : 4400 W / 20 AMP       | Front & Rear Left Zone     | : 200 * 225 mm         |
|                        | : 6600 W / 30 AMP       | Front & Rear Right Zone    | : 160 mm               |
| Front Left Zone (Max)  | : 2000 W (Boost 2400 W) | Flexi Zone Dimension       | : 399 * 210 mm         |
| Rear Left Zone (Max)   | : 1500 W (Boost 2000 W) | Product Dimension          | : L590 * W520 * H58 mm |
| Front Right Zone (Max) | : 1500 W (Boost 2000 W) | Cut Out Dimension          | : L560 * W490 mm       |
| Rear Right Zone (Max)  | : 2000 W (Boost 2400 W) | Net Weight                 | : 8.4 KGS              |
| Electrical Cord Length | : 150 cm                | Gross Weight               | : 10.2 KGS             |

### FEATURES

- 9 Level Power Settings with Boost Function
- Variable Power Outputs: 2800W, 3300W, 4400W & 6600W
- Schott Ceramic Glass | Flexi Zone + 2 Single Zone - Flexi Zone can be divided into either 2 Independent Zone to Cook Simultaneously at different Power Levels or One Big Zone to Cook at a Single Power Level
- Automatic Pan Recognition System
- Cooking Timer | - 99min
- Overflow Protection





## 30cm 2 Zones Domino Induction Hob with Slider


MMIH30CS

Voltage : 220-240V~50-60Hz  
 Wattage : 2800 W  
 Top Zone : 2100 W  
 Bottom Zone : 1800 W  
 Electrical Cord Length : 150 cm  
 Plug Type : Copper BS PLUG cable

Pot Size : 100 - 260 mm  
 Product Dimension : L520 \* W290 \* H60 mm  
 Cut Out Dimension : L495 \* W270mm  
 Net Weight : 5.04 KGS  
 Gross Weight : 5.91 KGS  
 Maximum Weight Load : 25 KGS

### FEATURES

- Tempered Glass
- 9 Heating Power Levels + Boost
- 240mins Timer
- Touch Sensor Control Panel with Sliding
- Power and Temperature Level Setting
- Automatic Pan Recognition System
- Overheat / Voltage / Current Protection



# Glass Gas Hob



## 30cm Glass Gas Hob



MMGH230HI

|                            |          |
|----------------------------|----------|
| Voltage                    | : DC1.5V |
| Wattage (PUB)              | : 3.2 kW |
| Rapid Burner X 1 (PUB)     | : 2.0 kW |
| Auxiliary Burner X 1 (PUB) | : 1.2 kW |
| Wattage (LPG)              | : 3.2 kW |
| Rapid Burner X 1 (LPG)     | : 2.0 kW |
| Auxiliary Burner X 1 (LPG) | : 1.2 kW |

|                            |                        |
|----------------------------|------------------------|
| Rapid Burner Dimension     | : 12 - 20 cm           |
| Auxiliary Burner Dimension | : 8 - 14 cm            |
| Product Dimension          | : L310 * W510 * H78 mm |
| Cut Out Dimension          | : L265 * W490 mm       |
| Net Weight                 | : 6.1 KGS              |
| Gross Weight               | : 7.2 KGS              |

### FEATURES

- Instant Ignition
- Toughened Glass
- Safety Flame Failure Device
- 1x Full Brass Rapid Burner
- 1x Full Brass Auxiliary Burner
- Aluminium Venturi (Rust Resistant)
- Enamel Drip Tray
- Metal (Enamel Coated) Trivet
- 1 x Battery (Size: D)



## 30cm Glass Gas Hob


MMGH130HI

|                      |          |
|----------------------|----------|
| Voltage              | : DC1.5V |
| Wattage (PUB)        | : 4.5 kW |
| Wok Burner X 1 (PUB) | : 4.5 kW |
| Wattage (LPG)        | : 5.0 kW |
| Wok Burner X 1 (LPG) | : 5.0 kW |

|                       |                        |
|-----------------------|------------------------|
| Wok Burners Dimension | : 26 - 28 cm           |
| Product Dimension     | : L310 * W510 * H85 mm |
| Cut Out Dimension     | : L265 * W490 mm       |
| Net Weight            | : 6.1 KGS              |
| Gross Weight          | : 7.5 KGS              |

### FEATURES

- Double Layer Stainless Steel Energy Pan
- Instant Ignition
- Toughened Glass
- Safety Flame Failure Device
- Full Brass Burner
- Aluminium Venturi (Rust Resistant)
- Enamel Drip Tray
- 1 x Battery (Size: D)






## 60cm Glass Gas Hob

MMGH360HI

|                        |          |                             |                        |
|------------------------|----------|-----------------------------|------------------------|
| Voltage                | : DC1.5V | Auxiliary Burner (LPG)      | : 1.2 kW               |
| Wattage (PUB)          | : 7.7 kW | Wok Burners Dimension       | : 26 - 28 cm           |
| Wok Burner X I (PUB)   | : 4.5 kW | Rapid Burners Dimension     | : 12 - 20 cm           |
| Rapid Burner (PUB)     | : 2.0 kW | Auxiliary Burners Dimension | : 8 - 14 cm            |
| Auxiliary Burner (PUB) | : 1.2 kW | Product Dimension           | : L600 * W520 * H85 mm |
| Wattage (LPG)          | : 8.2 kW | Cut Out Dimension           | : L555 * 475 mm        |
| Wok Burner X I (LPG)   | : 5.0 kW | Net Weight                  | : 13.3 KGS             |
| Rapid Burner (LPG)     | : 2.0 kW | Gross Weight                | : 15.5 KGS             |

### FEATURES

- Double Layer Stainless Steel Energy Pan
- Instant Ignition
- Toughened Glass
- Safety Flame Failure Device
- 1x Full Brass Burner
- 1x Full Brass Rapid Burner
- 1x Full Brass Auxiliary Burner
- Aluminium Venturi (Rust Resistant)
- Enamel Drip Tray
- Metal (Enamel Coated) Trivet
- 1x Assistant Pan support
- 1 x Battery (Size: D)





## 75cm Glass Gas Hob

MMGH7503HI

|                         |                              |
|-------------------------|------------------------------|
| Voltage                 | : DC1.5V                     |
| Wattage (PUB)           | : 7.3 kW                     |
| Wok Burner X 2 (PUB)    | : 4.2 kW                     |
| Rapid Burner X 1 (PUB)  | : 2.0 kW                     |
| Semi-Rapid Burner (PUB) | : 1.1 kW                     |
| Wattage (LPG)           | : 7.7 kW                     |
| Wok Burner X 2 (LPG)    | : 4.0 kW                     |
| Rapid Burner X 1 (LPG)  | : 2.2 kW                     |
| Semi-Rapid Burner (LPG) | : 1.5 kW                     |
| Wok Burners Dimension   | : 12 - 26 cm                 |
| Rapid Burner Dimension  | : 12 - 22 cm                 |
| Semi-Rapid Burner       |                              |
| Dimension               | : 12 - 22 cm                 |
| Product Dimension       | : L750 * W500 * H66 mm       |
| Cut Out Dimension       | : L540 - 700 * W330 - 450 mm |
| Net Weight              | : 15 KGS                     |
| Gross Weight            | : 17 KGS                     |

### FEATURES

- 1 X Burner
- 1 X Rapid Burner
- 1 X Semi-Rapid Burner
- Tempered Glass
- Top Air System
- Flame Failure Safety Devices
- Enameled Trivets
- 1 X Matt Enamel Energy Gathered Pan
- 1 X Assistant Pan Support
- Available in LPG and PUB




## 75cm Glass Gas Hob

MMGH7502HI

|                       |                             |
|-----------------------|-----------------------------|
| Voltage               | : DC1.5V                    |
| Wattage (PUB)         | : 8.4 kW                    |
| Wok Burner X 2 (PUB)  | : 4.2 kW                    |
| Wattage (LPG)         | : 8.0 kW                    |
| Wok Burner X 2 (LPG)  | : 4.0 kW                    |
| Wok Burners Dimension | : 24 - 26 cm                |
| Product Dimension     | : L750 * W500 * H66 mm      |
| Cut Out Dimension     | : L540 - 700 * W330 - 450mm |
| Net Weight            | : 15.5 KGS                  |
| Gross Weight          | : 17.5 KGS                  |

### FEATURES

- 2 X Burners
- Tempered Glass
- Top Air System
- Flame Failure Safety Devices
- Enameled Trivets
- 2 X Matt Enamel Energy Gathered Pan
- 2 X Assistant Pan Support
- Available in LPG and PUB






## 78cm Glass Gas Hob

MMGH378HI

|                      |          |                         |                             |
|----------------------|----------|-------------------------|-----------------------------|
| Voltage              | : DC1.5V | Wok Burners Dimension   | : 26 - 28 cm                |
| Wattage (PUB)        | : 11 kW  | Rapid Burners Dimension | : 12 - 20 cm                |
| Wok Burner X 2 (PUB) | : 4.5 kW | Product Dimension       | : L780 * W450 * H75 mm      |
| Rapid Burner (PUB)   | : 2.0 kW | Cut Out Dimension       | : L650 - 725 * 350 - 410 mm |
| Wattage (LPG)        | : 12 kW  | Net Weight              | : 15.7 KGS                  |
| Wok Burner X 2 (LPG) | : 5.0 kW | Gross Weight            | : 18.2 KGS                  |
| Rapid Burner (LPG)   | : 2.0 kW |                         |                             |

### FEATURES

- Double Layer Stainless Steel Energy Pan
- Left & Right timer (up to 180min)
- Instant Ignition
- Toughened Glass
- Safety Flame Failure Device
- 2 x Full Brass Burners
- 1 x Full Brass Rapid Burner
- Aluminium Venturi (Rust Resistant)
- Enamel Drip Tray
- Cast Iron (Enamel Coated) Trivet
- 1x Assistant Pan support
- 2x Batteries (Size: D)






## 78cm Glass Gas Hob

MMGH278HI

|                      |          |                       |                             |
|----------------------|----------|-----------------------|-----------------------------|
| Voltage              | : DC1.5V | Wok Burners Dimension | : 26 - 28 cm                |
| Wattage (PUB)        | : 9.0 kW | Product Dimension     | : L780 * W450 * H75 mm      |
| Wok Burner X 2 (PUB) | : 4.5 kW | Cut Out Dimension     | : L650 - 725 * 350 - 410 mm |
| Wattage (LPG)        | : 10 kW  | Net Weight            | : 14.2 KGS                  |
| Wok Burner X 2 (LPG) | : 5.0 kW | Gross Weight          | : 17 KGS                    |

### FEATURES

- Double Layer Stainless Steel Energy Pan
- Left & Right timer (up to 180min)
- Instant Ignition
- Toughened Glass
- Safety Flame Failure Device
- Full Brass Burner
- Aluminium Venturi (Rust Resistant)
- Enamel Drip Tray
- 1x Assistant Pan support
- 2x Batteries (Size: D)





## 78cm Glass Gas Hob

MMGH3078HI

|                         |                      |
|-------------------------|----------------------|
| Voltage                 | : DC1.5V             |
| Wattage (PUB)           | : 11 kW              |
| Wok Burner x2 (PUB)     | : 4.5 kW             |
| Rapid Burner (PUB)      | : 2 kW               |
| Wattage (LPG)           | : 12 kW              |
| Wok Burner x2 (LPG)     | : 5 kW               |
| Rapid Burner (LPG)      | : 2 kW               |
| Wok Burners Dimension   | : 26 - 28 cm         |
| Rapid Burners Dimension | : 12 - 20 cm         |
| Product Dimension       | : L780*W450*H75 mm   |
| Cut Out Dimension       | : L650~725*350~410mm |
| Net Weight              | : 17.3 KGS           |
| Gross Weight            | : 20.5 KGS           |

### FEATURES

- Safety Flame Failure Device
- Left timer (up to 180min)
- Toughened Glass
- 2 x Full Brass Burner
- 1 x Full Brass Rapid Burner
- Rust Resistant Aluminum Venturi
- Enamel Drip Tray
- Cast Iron Trivet
- 1x Assistant Pan Support
- 2x Batteries (Size: D)





## 78cm Glass Gas Hob

MMGH2078HI

|                       |                             |
|-----------------------|-----------------------------|
| Voltage               | : DC1.5V                    |
| Wattage (PUB)         | : 9.0 kW                    |
| Wok Burner X 2 (PUB)  | : 4.5 kW                    |
| Wattage (LPG)         | : 10 kW                     |
| Wok Burner X 2 (LPG)  | : 5.0 kW                    |
| Wok Burners Dimension | : 26 - 28 cm                |
| Product Dimension     | : L780 * W450 * H75 mm      |
| Cut Out Dimension     | : L650 - 725 * 350 - 410 mm |
| Net Weight            | : 14.2 KGS                  |
| Gross Weight          | : 16.4 KGS                  |

### FEATURES

- Safety Flame Failure Device
- Left timer (up to 180min)
- Toughened Glass
- 2 x Full Brass Burner
- Rust Resistant Aluminum Venturi
- Enamel Drip Tray
- Cast Iron Trivet
- 1x Assistant Pan Support
- 2x Batteries (Size: D)





## 88cm Glass Gas Hob


MMGH388HI

Voltage : DC1.5V  
 Wattage (PUB) : 11 kW  
 Wok Burner X 2 (PUB) : 4.5 kW  
 Rapid Burner (PUB) : 2.0 kW  
 Wattage (LPG) : 12 kW  
 Wok Burner X 2 (LPG) : 5.0 kW  
 Rapid Burner (LPG) : 2.0 kW

Wok Burners Dimension : 26 - 28 cm  
 Rapid Burners Dimension : 12 - 20 cm  
 Product Dimension : L880 \* W520 \* H78 mm  
 Cut Out Dimension : L685 - 830 \* 385 - 475 mm  
 Net Weight : 19 KGS  
 Gross Weight : 22.3 KGS

### FEATURES

- Double Layer Stainless Steel Energy Pan
- Left & Right timer (up to 180min)
- Instant Ignition
- Toughened Glass
- Safety Flame Failure Device
- 2 x Full Brass Burners
- 1 x Full Brass Rapid Burner
- Aluminium Venturi (Rust Resistant)
- Enamel Drip Tray
- Cast Iron (Enamel Coated) Trivet
- 1 x Assistant Pan support
- 2x Batteries (Size: D)





## 86cm Glass Gas Hob


MMGH883HI

Voltage : DC1.5V  
 Wattage : 11.4 kW  
 Brass Burner X 2 : 4.5 kW  
 Semi-Rapid Brass Burner : 2.3 kW  
 Wok Burners Dimension : 24 - 26 cm

Auxiliary Burner : 12 - 22 cm  
 Product Dimension : L860 \* W500 \* H62 mm  
 Cut Out Dimension : L670 - 825 \* W370 - 435 mm  
 Net Weight : 20.5 KGS  
 Gross Weight : 23 KGS

### FEATURES

- Tempered Glass Top
- Front Control Knobs
- 2 X Full Brass Burners
- 1 X Semi-Rapid Brass Burner
- Flame Failure Safety Devices
- Battery Ignition (Size D)
- Cast Iron Trivets
- Available in LPG and PUB



## 88cm Glass Gas Hob


MMGH288HI

|                       |                             |
|-----------------------|-----------------------------|
| Voltage               | : DC1.5V                    |
| Wattage (PUB)         | : 9.0 kW                    |
| Wok Burner X 2 (PUB)  | : 4.5 kW                    |
| Wattage (LPG)         | : 10 kW                     |
| Wok Burner X 2 (LPG)  | : 5.0 kW                    |
| Wok Burners Dimension | : 26 - 28 cm                |
| Product Dimension     | : L880 * W520 * H78 mm      |
| Cut Out Dimension     | : L685 - 830 * 385 - 475 mm |
| Net Weight            | : 17.6 KGS                  |
| Gross Weight          | : 21 KGS                    |



### FEATURES


- Double Layer Stainless Steel Energy Pan
- Left & Right timer (up to 180min)
- Instant Ignition
- Toughened Glass
- Safety Flame Failure Device
- Full Brass Burner
- Aluminium Venturi (Rust Resistant)
- Enamel Drip Tray
- 1x Assistant Pan support
- 2x Batteries (Size: D)



## 86cm Glass Gas Hob


MMGH882HI

|                            |                              |
|----------------------------|------------------------------|
| Voltage                    | : DC1.5V                     |
| Wattage                    | : 9.6 kW                     |
| Brass Burner x2            | : 4.5 kW                     |
| Wok Burners Dimension      | : 24 - 26 cm                 |
| Auxiliary Burner Dimension | : 12 - 22 cm                 |
| Product Dimension          | : L860 * W500 * H62 mm       |
| Cut Out Dimension          | : L670 - 825 * W370 - 435 mm |
| Net Weight                 | : 18.92 KGS                  |
| Gross Weight               | : 21.3 KGS                   |



### FEATURES

- Tempered Glass Top
- Front Control Knobs
- 2 X Full Brass Burners
- Flame Failure Safety Devices
- Battery Ignition (Size D)
- Cast Iron Trivets
- Available in LPG and PUB



# Stainless Steel Gas Hob






## 60cm Stainless Steel Gas Hob


MMSS360HI

|                        |          |                             |                        |
|------------------------|----------|-----------------------------|------------------------|
| Voltage                | : DC1.5V | Auxiliary Burner (LPG)      | : 1.2 kW               |
| Wattage (PUB)          | : 7.7 kW | Wok Burners Dimension       | : 26 - 28 cm           |
| Wok Burner X 1 (PUB)   | : 4.5 kW | Rapid Burners Dimension     | : 12 - 20 cm           |
| Rapid Burner (PUB)     | : 2.0 kW | Auxiliary Burners Dimension | : 8 - 14 cm            |
| Auxiliary Burner (PUB) | : 1.2 kW | Product Dimension           | : L580 * W510 * H85 mm |
| Wattage (LPG)          | : 8.2 kW | Cut Out Dimension           | : L555 * 475 mm        |
| Wok Burner X 1 (LPG)   | : 5.0 kW | Net Weight                  | : 12.5 KGS             |
| Rapid Burner (LPG)     | : 2.0 kW | Gross Weight                | : 15 KGS               |

### FEATURES

- Grande Mild Steel Energy Pan
- Instant Ignition
- Stainless Steel
- Safety Flame Failure Device
- 1 X Full Brass Burner
- 1 X Full Brass Rapid Burner
- 1 X Full Brass Auxiliary Burner
- Aluminium Venturi (Rust Resistant)
- 1x Battery (Size: D)





## 75cm Stainless Steel Gas Hob


MMSS7503HI

Voltage : DC1.5V  
 Wattage (PUB) : 7.7 kW  
 Wok Burner X 3 (PUB) : 4.5 kW  
 Rapid Burner (PUB) : 2.1 kW  
 Semi-Rapid Burner (PUB) : 1.1 kW  
 Wattage (LPG) : 7.7 kW  
 Wok Burner X 3 (LPG) : 4.0 kW  
 Rapid Burner (LPG) : 2.2 kW

Semi-Rapid Burner (LPG) : 1.5 kW  
 Wok Burners Dimension : 12 - 26 cm  
 Rapid Burners Dimension : 12 - 22 cm  
 Semi-Rapid Burner Dimension : 12 - 22 cm  
 Product Dimension : L750 \* W500 \* H66 mm  
 Cut Out Dimension : L540 - 700 \* W330 - 450 mm  
 Net Weight : 13 KGS  
 Gross Weight : 15 KGS

### FEATURES

- 1 X Burner
- 1 X Rapid Burner
- 1 X Semi-Rapid Burner
- Top Air System
- Flame Failure Safety Devices
- Enameled Trivets
- 1 X Matt Enamel Energy Gathered Pan
- 1 X Assistant Pan Support






## 75cm Stainless Steel Gas Hob

MMSS7502HI

|                      |          |                       |                              |
|----------------------|----------|-----------------------|------------------------------|
| Voltage              | : DC1.5V | Wok Burners Dimension | : 24 - 26 cm                 |
| Wattage (PUB)        | : 8.4 kW | Product Dimension     | : L750 * W500 * H66 mm       |
| Wok Burner X 2 (PUB) | : 4.5 kW | Cut Out Dimension     | : L540 - 700 * W330 - 450 mm |
| Wattage (LPG)        | : 8.0 kW | Net Weight            | : 13.5 KGS                   |
| Wok Burner X 2 (LPG) | : 4.0 kW | Gross Weight          | : 15.5 KGS                   |

### FEATURES

- 2 X Burners
- Top Air System
- Flame Failure Safety Devices
- Enameled Trivets
- 2 X Matt Enamel Energy Gathered Pan
- 2 X Assistant Pan Support
- Available in LPG and PUB




## 75cm Stainless Steel Gas Hob

MMSS773 | HI-GM

|                            |                              |
|----------------------------|------------------------------|
| Voltage                    | : DC1.5V                     |
| Wattage (PUB)              | : 11.9 kW                    |
| Wok Burner X 2 (PUB)       | : 9.4 kW                     |
| Auxiliary Burner (PUB)     | : 2.5 kW                     |
| Wattage (LPG)              | : 11.4 kW                    |
| Wok Burner X 2 (LPG)       | : 9.6 kW                     |
| Auxiliary Burner (LPG)     | : 1.8 kW                     |
| Wok Burners Dimension      | : 24 - 26 cm                 |
| Auxiliary Burner Dimension | : 12 - 22 cm                 |
| Product Dimension          | : L750 * W450 * H62 mm       |
| Cut Out Dimension          | : L670 - 725 * W370 - 410 mm |
| Net Weight                 | : 15 KGS                     |
| Gross Weight               | : 17 KGS                     |

### FEATURES

- Stainless Steel Gun Metal Colour
- Front Control Knobs
- Flame Failure Safety Devices
- Enameled Trivets
- Available in LPG and PUB




## 75cm Stainless Steel Gas Hob

MMSS773HI

|                            |                              |
|----------------------------|------------------------------|
| Voltage                    | : DC1.5V                     |
| Wattage                    | : 11.4 kW                    |
| Brass Burner X 2           | : 4.5 kW                     |
| Semi-Rapid Brass Burner    | : 2.0 kW                     |
| Wok Burners Dimension      | : 24 - 26 cm                 |
| Auxiliary Burner Dimension | : 12 - 22 cm                 |
| Product Dimension          | : L750 * W450 * H62 mm       |
| Cut Out Dimension          | : L670 - 725 * W370 - 410 mm |
| Net Weight                 | : 14.17 KGS                  |
| Gross Weight               | : 16.12 KGS                  |

### FEATURES

- Stainless Steel Top
- Front Control Knobs
- 2 X Full Brass Burners
- 1 X Semi Rapid Brass Burner
- Flame Failure Safety Devices
- Battery Ignition (Size D)
- Cast Iron Trivets
- Available in LPG and PUB




## 75cm Stainless Steel Gas Hob

MMSS772IHI-GM

|                            |                              |
|----------------------------|------------------------------|
| Voltage                    | : DC1.5V                     |
| Wattage (PUB)              | : 9.4 kW                     |
| Wok Burner X 2 (PUB)       | : 4.7 kW                     |
| Wattage (LPG)              | : 9.6 kW                     |
| Wok Burner X 2 (LPG)       | : 4.8 kW                     |
| Wok Burners Dimension      | : 24 - 26 cm                 |
| Auxiliary Burner Dimension | : 12 - 22 cm                 |
| Product Dimension          | : L750 * W450 * H62 mm       |
| Cut Out Dimension          | : L670 - 725 * W370 - 410 mm |
| Net Weight                 | : 13.82 KGS                  |
| Gross Weight               | : 15.72 KGS                  |

### FEATURES

- Stainless Steel Gun Metal Colour
- Front Control Knobs
- Flame Failure Safety Devices
- Battery Ignition
- Enameled Trivets
- Available in LPG and PUB




## 75cm Stainless Steel Gas Hob

MMSS772HI

|                            |                              |
|----------------------------|------------------------------|
| Voltage                    | : DC1.5V                     |
| Wattage                    | : 9.6 kW                     |
| Brass Burner X 2           | : 4.5 kW                     |
| Wok Burners Dimension      | : 24 - 26 cm                 |
| Auxiliary Burner Dimension | : 12 - 22 cm                 |
| Product Dimension          | : L750 * W450 * H62 mm       |
| Cut Out Dimension          | : L670 - 725 * W370 - 410 mm |
| Net Weight                 | : 12.82 KGS                  |
| Gross Weight               | : 14.72 KGS                  |

### FEATURES

- Stainless Steel Top
- Front Control Knobs
- 2 X Full Brass Burners
- Flame Failure Safety Devices
- Battery Ignition (Size D)
- Cast Iron Trivets
- Available in LPG and PUB





## 86cm Stainless Steel Gas Hob


MMSS883 | HI-GM

Voltage : DC1.5V  
 Wattage (PUB) : 11.1 kW  
 Wok Burner X 2 (PUB) : 4.3 kW  
 Auxiliary Burner (PUB) : 2.5 kW  
 Wattage (LPG) : 11.4 kW  
 Wok Burner X 2 (LPG) : 4.8 kW  
 Auxiliary Burner (LPG) : 1.8 kW

Wok Burners Dimension : 24 - 26 cm  
 Auxiliary Burner Dimension : 12 - 22 cm  
 Product Dimension : L860 \* W500 \* H62 mm  
 Cut Out Dimension : L670 - 825 \* W370 - 435 mm  
 Net Weight : 16.7 KGS  
 Gross Weight : 19 KGS

### FEATURES

- Stainless Steel Gun Metal Colour
- Front Control Knobs
- 3 X Gas Burners
- Wind Shield
- Flame Failure Safety Devices
- Battery Ignition
- Enameled Trivets
- Available in LPG and PUB




## 86cm Stainless Steel Gas Hob

MMSS883HI

|                            |                              |
|----------------------------|------------------------------|
| Voltage                    | : DC1.5V                     |
| Wattage                    | : 11.4 kW                    |
| Brass Burner X 2           | : 4.5 kW                     |
| Semi-Rapid Brass Burner    | : 2.3 kW                     |
| Wok Burners Dimension      | : 24 - 26 cm                 |
| Auxiliary Burner Dimension | : 12 - 22 cm                 |
| Product Dimension          | : L860 * W500 * H62 mm       |
| Cut Out Dimension          | : L670 - 825 * W370 - 435 mm |
| Net Weight                 | : 15.7 KGS                   |
| Gross Weight               | : 18.0 KGS                   |

### FEATURES

- Stainless Steel Top
- Front Control Knobs
- 2 X Full Brass Burners
- 1 X Semi Rapid Brass Burner
- Flame Failure Safety Devices
- Battery Ignition (Size D)
- Cast Iron Trivets
- Available in LPG and PUB




## 86cm Stainless Steel Gas Hob

MMSS882HI

|                            |                              |
|----------------------------|------------------------------|
| Voltage                    | : DC1.5V                     |
| Wattage                    | : 9.6 kW                     |
| Brass Burner X 2           | : 4.5 kW                     |
| Wok Burners Dimension      | : 24 - 26 cm                 |
| Auxiliary Burner Dimension | : 12 - 22 cm                 |
| Product Dimension          | : L860 * W500 * H62 mm       |
| Cut Out Dimension          | : L670 - 825 * W370 - 435 mm |
| Net Weight                 | : 14.0 KGS                   |
| Gross Weight               | : 16.5 KGS                   |

### FEATURES

- Stainless Steel Top
- Front Control Knobs
- 2 X Full Brass Burners
- Flame Failure Safety Devices
- Battery Ignition (Size D)
- Cast Iron Trivets
- Available in LPG and PUB



# Chimney Hood






## Flat Hood

MMSH9099

|                        |                                |
|------------------------|--------------------------------|
| Voltage                | : 220-240V 50Hz                |
| Wattage                | : 289 W                        |
| LED Power X 2          | : 4 W                          |
| Noise Level            | : < 59 db                      |
| Extraction Capacity    | : 2000 m <sup>3</sup> / hr     |
| Electrical Cord Length | : 1500 mm                      |
| Plug Type              | : No Plug                      |
| Chimney Height         | : 510 - 960 mm                 |
| Product Dimension      | : L895 * W310 * H960 - 1390 mm |
| Net Weight             | : 32 KGS                       |
| Gross Weight           | : 42 KGS                       |



### FEATURES

- Double Suction
- Touch Control (4 Speed) with Motion Sensor
- Aluminium Grease Filter
- Heat Cleaning
- Built-In Ionizer
- Cleaning Reminder (After 90hr Usage)
- Available in Black and Gun Metal
- For Ducted & Re-Circulation






## Angled Chimney Hood

MMSH8099

|                        |                                |
|------------------------|--------------------------------|
| Voltage                | : 220-240V / 50Hz              |
| Wattage                | : 203 W                        |
| LED Power X 2          | : 1.5 W                        |
| Noise Level            | : 59 db(A)                     |
| Extraction Capacity    | : 1600 m <sup>3</sup> / hr     |
| Electrical Cord Length | : 100 mm                       |
| Plug Type              | : No Plug                      |
| Chimney Height         | : 400 - 800 mm                 |
| Product Dimension      | : L898 * W510 * H800 - 1200 mm |
| Net Weight             | : 36.5 KGS                     |
| Gross Weight           | : 49 KGS                       |

### FEATURES

- 90cm Chimney Hood
- 3 Speed Touch Control
- Wireless Connectivity Supported
- Aluminium Filter with Carbon Sponge
- Power Coating Chassis with Tempered Glass
- Dual Model (Ducted and Re-Circulating Mode)




## Chimney Hood

MMBCH900I

|                        |                                |
|------------------------|--------------------------------|
| Voltage                | : 220-240V / 50Hz              |
| Wattage                | : 200 W                        |
| LED Power              | : 7 W                          |
| Noise Level            | : < 59 db(A)                   |
| Extraction Capacity    | : 1600 m <sup>3</sup> / hr     |
| Electrical Cord Length | : 100 mm                       |
| Plug Type              | : No Plug                      |
| Chimney Height         | : 520 - 1030 mm                |
| Product Dimension      | : L898 * W505 * H520 - 1040 mm |
| Net Weight             | : 26.5 KGS                     |
| Gross Weight           | : 31 KGS                       |

### FEATURES

- 90cm Chimney Hood
- Digital Panel Display
- Aluminium Filter with Intergrated Charcoal Filter
- Touch Control
- 4 Speed Settings
- LED Light
- Delay Timer: 15mins




## Chimney Hood

MMCH407I

|                        |                                |
|------------------------|--------------------------------|
| Voltage                | : 220-240V / 50Hz              |
| Wattage                | : 277 W                        |
| LED Power              | : 7 W                          |
| Noise Level            | : < 59 db(A)                   |
| Extraction Capacity    | : 1200 m <sup>3</sup> / hr     |
| Electrical Cord Length | : 100 mm                       |
| Plug Type              | : No Plug                      |
| Product Dimension      | : L900 * W515 * H525 - 1040 mm |
| Net Weight             | : 16.5 KGS                     |
| Gross Weight           | : 19 KGS                       |

### FEATURES

- 90cm Chimney Hood
- High Grade Stainless Steel Chassis
- Sensor Touch Controls
- 60min Timer
- Aluminium Filter
- Charcoal Filter
- LED Strip Light
- Dual Mode (Ducted and Recirculating Mode)



# Slim Line Hood


mayer



## Slimline Hood

MMSL983OT

|                        |                           |
|------------------------|---------------------------|
| Voltage                | : 220-240V / 50Hz         |
| Wattage                | : 307 W                   |
| LED Power              | : 7 W                     |
| Motor X 3              | : 100 W                   |
| Noise Level            | : < 59 db(A)              |
| Extraction Capacity    | : 900 m <sup>3</sup> / hr |
| Electrical Cord Length | : 100 mm                  |
| Plug Type              | : No Plug                 |
| Product Dimension      | : L898 * W475 * H105 mm   |
| Net Weight             | : 13.8 KGS                |
| Gross Weight           | : 15.5 KGS                |



### FEATURES

- 90cm Slimline Hood
- Charcoal Filter
- Long LED Light Bar
- Gun Metal Finish
- Oil Tray
- Touch Control (4 Speed) with Motion Sensor for Re-Circulation only





## Semi-integrated Hood with Oil Tray

MMSI903OT

|                        |                           |
|------------------------|---------------------------|
| Voltage                | : 220-240V / 50Hz         |
| Wattage                | : 262 W                   |
| LED Power              | : 7 W                     |
| Motor X 3              | : 85 W                    |
| Noise Level            | : < 59 db(A)              |
| Extraction Capacity    | : 900 m <sup>3</sup> / hr |
| Electrical Cord Length | : 100 mm                  |
| Plug Type              | : No Plug                 |
| Product Dimension      | : L900 * W420 * H120 mm   |
| Net Weight             | : 15 KGS                  |
| Gross Weight           | : 16 KGS                  |

### FEATURES

- Glass Front Panel with Stainless Steel Strip
- Stainless Steel with Powder Coated Chassis
- Rectifier Panel with Long Oil Tank
- Ultra Slim Hood
- 3 Speed Touch Control
- Oil Cup and Oil Tray
- 3 X Charcoal Filter




## Semi Integrated Hood

MMSI900LEDHS

|                        |                           |
|------------------------|---------------------------|
| Voltage                | : 230V / 50Hz             |
| Wattage                | : 262 W                   |
| LED Power              | : 7 W                     |
| Motor X 3              | : 85 W                    |
| Noise Level            | : 59 db(A)                |
| Extraction Capacity    | : 825 m <sup>3</sup> / hr |
| Electrical Cord Length | : 100 mm                  |
| Plug Type              | : No Plug                 |
| Product Dimension      | : L900 * W420 * H120 mm   |
| Net Weight             | : 12.5 KGS                |
| Gross Weight           | : 14 KGS                  |

### FEATURES

- 3 X Aluminium Grease Filter
- High Grade Stainless Steel
- Wider Suction Coverage
- 3 Speed Mechanical Push Button Control
- 1 X LED Strip
- 3 X Charcoal Filter




## Slimline Hood

MMSL902BE

|                        |                           |
|------------------------|---------------------------|
| Voltage                | : 220-240V / 50Hz         |
| Wattage                | : 307 W                   |
| LED Power              | : 7 W                     |
| Motor X 3              | : 100 W                   |
| Noise Level            | : < 59 db(A)              |
| Extraction Capacity    | : 825 m <sup>3</sup> / hr |
| Electrical Cord Length | : 100 mm                  |
| Plug Type              | : No Plug                 |
| Product Dimension      | : L898 * W500 * H100 mm   |
| Net Weight             | : 10.5 KGS                |
| Gross Weight           | : 12.5 KGS                |

### FEATURES

- High Grade Stainless Steel
- With Black Deco Acrylic Front Panel
- Charcoal Filter
- Aluminium Filter
- Wireless Communication
- LED Light
- 3 X Motor




## Slimline Hood

MMSL901SM

|                        |                           |
|------------------------|---------------------------|
| Voltage                | : 220-240V / 50Hz         |
| Wattage                | : 307 W                   |
| LED Power              | : 7 W                     |
| Motor X 3              | : 100 W                   |
| Noise Level            | : < 59 db(A)              |
| Extraction Capacity    | : 825 m <sup>3</sup> / hr |
| Electrical Cord Length | : 100 mm                  |
| Plug Type              | : No Plug                 |
| Product Dimension      | : L898 * W500 * H100 mm   |
| Net Weight             | : 10 KGS                  |
| Gross Weight           | : 12 KGS                  |

### FEATURES

- 90cm Slimline Hood
- High Grade Stainless Steel
- Charcoal Filter
- Aluminium Filter
- 3 X Motor
- Push Button






## Semi-integrated Slimline Hood

MMSI600HS

|                        |                         |
|------------------------|-------------------------|
| Voltage                | : 220-240V / 50Hz       |
| Wattage                | : 172 W                 |
| LED Power X 2          | : 1 W                   |
| Motor X 2              | : 85 W                  |
| Noise Level            | : < 59 db(A)            |
| Extraction Capacity    | : 550 m³/hr             |
| Electrical Cord Length | : 100 mm                |
| Plug Type              | : No Plug               |
| Product Dimension      | : L600 * W420 * H120 mm |
| Net Weight             | : 7 KGS                 |
| Gross Weight           | : 8 KGS                 |



### FEATURES

- 60cm Semi-Integrated Hood
- High Grade Stainless Steel
- Grey Powder Coated Chassis
- Push Button
- 3 Speed Mechanical Control
- 2 X Aluminium Grease Filter
- Charcoal Filter
- 2 X LED Light
- Re-Circulating Mode only



# Telescopic Hood




## Telescopic Hood

### MMTH90

|                        |                           |
|------------------------|---------------------------|
| Voltage                | : 220-240V / 50Hz         |
| Wattage                | : 125 W                   |
| Lamp Power X 2         | : 40 W                    |
| Noise Level            | : < 59 db(A)              |
| Extraction Capacity    | : 550 m <sup>3</sup> / hr |
| Electrical Cord Length | : 100 mm                  |
| Plug Type              | : No Plug                 |
| Product Dimension      | : L900 * W280 * H180 mm   |
| Net Weight             | : 10 KGS                  |
| Gross Weight           | : 11 KGS                  |

#### FEATURES

- 90cm Telescopic Hood
- Charcoal Filter
- Aluminium Grease Filter
- High Grade Stainless Steel Front Panel with Black Acrylic
- Grey Powder Coated Chassis
- 2 X Lamp




## Telescopic Hood

### MMTH60

|                        |                           |
|------------------------|---------------------------|
| Voltage                | : 220-240V / 50Hz         |
| Wattage                | : 125 W                   |
| Lamp Power X 2         | : 40 W                    |
| Noise Level            | : < 59 db(A)              |
| Extraction Capacity    | : 550 m <sup>3</sup> / hr |
| Electrical Cord Length | : 100 mm                  |
| Plug Type              | : No Plug                 |
| Product Dimension      | : L600 * W280 * H180 mm   |
| Net Weight             | : 7 KGS                   |
| Gross Weight           | : 8 KGS                   |

#### FEATURES

- 60cm Telescopic Hood
- Charcoal Filter
- Aluminium Grease Filter
- High Grade Stainless Steel Front Panel with Black Acrylic
- Grey Powder Coated Chassis
- 2 X Lamp



# BUILT-IN OVENS, MICROWAVES

Designed for modern kitchens, our built-in ovens and microwaves combine sleek style with reliable performance. From precise baking and roasting to quick reheating, enjoy seamless integration, intuitive controls, and effortless everyday cooking.






## Built-In Combi Steam Oven

MMSO I7-RG

|                        |                             |
|------------------------|-----------------------------|
| Gross Capacity         | : 8 l L                     |
| Voltage                | : 220-240V~, 50Hz-60Hz      |
| Wattage                | : 3.15kW / 13 AMP           |
| Electrical Cord Length | : 100 cm                    |
| Plug Type              | : No Plug                   |
| Product Dimension      | : L595 * W545 * H595 mm     |
| Built-In Dimension     | : L560-568 * W550 * H590 mm |
| Net Weight             | : 39 KGS                    |
| Gross Weight           | : 45 KGS                    |

### FEATURES

- Energy Class: A+
- Temperature Range between 30°C-250°C
- 5 Hours Timer
- Enamel Cavity Wall
- Digital Display + Slider Controls
- 15 Cooking Functions
- 32 Automatic Menus
- 1.2l Removable Water Tank with 1 Hour Duration Usage & Low Water Indication
- Cavity Cooling System
- Descaling & Self-Drying Function
- Removable Door Plate
- 5 Shelf Positions
- Quick Preheat
- Child Lock
- Accessories: Deep Baking Tray X1, Grilling Rack X1, Steaming Tray X1, Meat Probe X1






## Built-In Combi Steam Oven

MMSOI 5-RG

|                            |                               |
|----------------------------|-------------------------------|
| Gross Capacity             | : 50 L                        |
| Voltage                    | : 220-240V~ 50-60 Hz          |
| Wattage                    | : 3000 W                      |
| Internal Cavity Dimensions | : L480 * W389 * H270 mm       |
| Tray Dimensions (Steam)    | : L473 * W3760 * H37.6 mm     |
| Tray Dimensions (Bake)     | : L473 * W3760 * H37.6 mm     |
| Electrical Cord Length     | : 100 cm                      |
| Plug Type                  | : No Plug                     |
| Product Dimension          | : L595 * W568 * H447 mm       |
| Packaging Dimension        | : L700 * W670 * H550 mm       |
| Built-In Dimension         | : L560 - 568 * W550 * H440 mm |
| Net Weight                 | : 31 KGS                      |
| Gross Weight               | : 37 KGS                      |



### FEATURES

- Pure Steam Cooking + Combination Cooking (1+3 Functions)
- Professional Bake Cooking (11 Functions)
- Rose Gold Design
- Fermentation / Cavity Cleaning / Descaling
- Enamel Cavity (Easy Clean)
- Meat Probe
- Speedy Preheat
- Child Lock






## Built-In Oven

MMDO15P

|                        |                               |
|------------------------|-------------------------------|
| Gross Capacity         | : 75 L                        |
| Voltage                | : 220-240V~50-60Hz            |
| Wattage                | : 3.2 kW / 15AMP              |
| Oven Lamp              | : Halogen + Side Lamps        |
| Electrical Cord Length | : 100 mm                      |
| Plug Type              | : No Plug                     |
| Product Dimension      | : L595 * W565 * H595 mm       |
| Built-In Dimension     | : L560 * W550 * H585 - 595 mm |
| Net Weight             | : 31.5 KGS                    |
| Gross Weight           | : 35.6 KGS                    |

### FEATURES

- Energy Class: A+
- Digital Display + Slider Controls
- Cavity Cooling System
- Removable Door Plate
- 5 Shelf Positions
- Halogen + Side Flat Lamps
- Child Lock
- Sabbath Mode
- Rotisserie
- 14 Cooking Functions: Lamp, Conventional, Radiant Heat, Double Grill, Double Grill Fan, Bottom Heat, Conventional + Fan, Convection, Preheat, Pizza, Defrost, Eco, Fermentation
- Accessories: Deep Baking Tray X1, Shallow Baking Tray X1, Grilling Rack X1, Set of Telescopic Rails X1, Meat Probe X1, Rotisserie Spit X1




## Built-In Oven

### MMDO13CS

|                        |                               |
|------------------------|-------------------------------|
| Gross Capacity         | : 75 L                        |
| Voltage                | : 220-240V~50-60Hz            |
| Wattage                | : 3 kW / 13 AMP               |
| Oven Lamp              | : Halogen + Side Lamps        |
| Electrical Cord Length | : 100 mm                      |
| Plug Type              | : No Plug                     |
| Product Dimension      | : L595 * W565 * H595 mm       |
| Built-In Dimension     | : L560 * W550 * H585 - 595 mm |
| Net Weight             | : 31.5 KGS                    |
| Gross Weight           | : 35.6 KGS                    |

#### FEATURES

- Energy Class: A+
- Digital Display + Slider Controls
- Cavity Cooling System
- Removable Door Plate
- 5 Shelf Positions
- Halogen + Side Lamps
- Manual Rotisserie
- 13 Functions: Lamp, Conventional, Radiant Heat, Double Grill, Double Grill + Fan, Bottom Heat, Conventional + Fan, Convection, Preheat, Pizza, Defrost, Eco, Fermentation
- Accessories: Deep Baking Tray X1, Shallow Baking Tray X1, Grilling Rack X1, Rotisserie Spit X1




## Built-In Oven

### MMDO13C

|                        |                               |
|------------------------|-------------------------------|
| Gross Capacity         | : 75 L                        |
| Voltage                | : 220-240V~50-60Hz            |
| Wattage                | : 2.5 kW / 13 AMP             |
| Oven Lamp              | : Halogen + Side Lamps        |
| Electrical Cord Length | : 100 mm                      |
| Plug Type              | : No Plug                     |
| Product Dimension      | : L595 * W546 * H595 mm       |
| Built-In Dimension     | : L560 * W550 * H585 - 595 mm |
| Net Weight             | : 31.5 KGS                    |
| Gross Weight           | : 35.6 KGS                    |

#### FEATURES

- Energy Class: A+
- Digital Display
- Cavity Cooling System
- Removable Door Plate
- Manual Rotisserie
- 13 Functions: Lamp, Conventional, Radiant Heat, Double Grill, Double Grill + Fan, Bottom Heat, Conventional + Fan, Convection, Preheat, Pizza, Defrost, Eco, Fermentation
- Accessories: Shallow Baking Tray X1, Grilling Rack X1, Rotisserie Spit X1





## Built-In Oven

### MMDO9

|                        |                               |
|------------------------|-------------------------------|
| Gross Capacity         | : 75 L                        |
| Voltage                | : 220-240V~50-60Hz            |
| Wattage                | : 2.5 kW / 13 AMP             |
| Oven Lamp              | : Halogen                     |
| Electrical Cord Length | : 150 mm                      |
| Plug Type              | : No Plug                     |
| Product Dimension      | : L510 * W595 * H595 mm       |
| Built-In Dimension     | : L560 * W565 * H575 - 595 mm |
| Net Weight             | : 30.3 KGS                    |
| Gross Weight           | : 31.5 KGS                    |

#### FEATURES

- Interior Oven Enamel
- Smoke Ventilation System
- Large Viewing Window
- Forced Cooling System
- Removable Door Plate
- 5 Shelf Positions
- 9 Functions: Lamp, Defrost, Conventional Heat, Conventional + Fan, Bottom Heat, Circular Heat, Double Grilling, Double Grilling + Fan, Circular Heat + Bottom Heat
- Accessories: Shallow Baking Tray XI, Grilling Rack XI




## Built-In Oven

### MMDO8R

|                        |                         |
|------------------------|-------------------------|
| Gross Capacity         | : 75 L                  |
| Voltage                | : 220-240V~50-60Hz      |
| Wattage                | : 2.5 kW / 13 AMP       |
| Oven Lamp              | : Halogen               |
| Electrical Cord Length | : 100 mm                |
| Plug Type              | : No Plug               |
| Product Dimension      | : L595 * W565 * H595 mm |
| Built-In Dimension     | : L560 * W585 * H590 mm |
| Net Weight             | : 29.8 KGS              |
| Gross Weight           | : 33.6 KGS              |

#### FEATURES

- Interior Oven Enamel
- Smoke Ventilation System
- Large Viewing Window
- Forced Cooling System
- Removable Door Plate
- 5 Shelf Positions
- 8 Cooking Functions: Defrost, Bottom Heat, Conventional Heat, Conventional + Fan, Radiant Grilling, Double Grilling, Double Grilling + Fan, Eco
- Accessories: Shallow Baking Tray XI, Grilling Rack XI






## Built-in Microwave Oven with Grill

MMWG30B-RG

|                        |                         |
|------------------------|-------------------------|
| Gross Capacity         | : 25 L                  |
| Voltage                | : 230V~50Hz             |
| Rated Input Power      | : 1450 W                |
| Rated Output Power     | : 900 W                 |
| Rated Input Grill      | : 1000 W                |
| Electrical Cord Length | : 100 cm                |
| Plug Type              | : No Plug               |
| Product Dimension      | : L595 * W401 * H388 mm |
| Built-In Dimension     | : L560 * W550 * H380 mm |
| Net Weight             | : 19.5 KGS              |
| Gross Weight           | : 22 KGS                |

### FEATURES

- Stainless Steel Interior
- Electric Door Open
- 8 Auto Menus: Pizza, Meat, Vegetable, Pasta, Potato, Fish, Beverage, Popcorn
- Cooking Timer: 1-99 Mins
- Cooking End Signal
- Child Lock
- Defrost by Weight or Time
- Quick Start: 30 Seconds
- Accessories: Grill Rack X1, 315mm Turntable Glass Plate X1, Suction Cup X1






## Microwave

### MMWG25B

|                        |                         |
|------------------------|-------------------------|
| Gross Capacity         | : 25 L                  |
| Voltage                | : 230V~50Hz             |
| Rated Input Power      | : 1450 W                |
| Rated Output Power     | : 900 W                 |
| Rated Input Grill      | : 1000 W                |
| Electrical Cord Length | : 100 cm                |
| Plug Type              | : No Plug               |
| Product Dimension      | : L595 * W400 * H388 mm |
| Built-In Dimension     | : L560 * W550 * H380 mm |
| Net Weight             | : 18.6 KGS              |
| Gross Weight           | : 19.5 KGS              |

#### FEATURES

- 2 In 1 Microwave With Grill
- Top And Bottom Stainless Steel Interior
- Touch Digital Control Panel
- Cooking End Signal
- Defrost by Weight or Time
- Child Safety Lock
- 8 Auto Menus
- Accessories: Grill Rack X1, 315mm Turntable Glass Plate X1



# REFRIGERATORS

Mayer Frostline refrigerator features Dual Tech Inverter technology, combining an inverter compressor and fan for stable, consistent cooling. Enjoy longer-lasting freshness with reduced energy use, quieter performance, and enhanced durability for everyday efficiency.





## FrostLine Refrigerator

MMFF480BI

|                          |                          |                       |                  |
|--------------------------|--------------------------|-----------------------|------------------|
| Net Capacity (L)         | : 466                    | No. of Shelves        | : 3              |
| Net Freezer Capacity (L) | : 175                    | No. of Door Pocket    | : 6              |
| Net Fridge Capacity (L)  | : 291                    | Vegetable Compartment | : Crisper Drawer |
| Product Dimension        | : W795 * D740 * H1800 mm | Deodorizing Filter    | : Yes            |
| Packaging Dimension      | : W857 * D773 * H1880 mm | Ice Maker             | : Yes            |
| Door Color               | : Black Inox             | LED Light             | : Yes            |
| Inverter                 | : Yes                    | External LED Display  | : Yes            |
| Energy Tick              | : 3 Ticks                | Reversible Door       | : No             |
| Power Freeze Mode        | : Yes                    | Net Weight            | : 87 KGS         |
| Convertible Zone         | : Yes                    | Gross Weight          | : 95 KGS         |

### FEATURES

- Dual Tech Inverter
- All Zone Cooling
- Convertible Zone
- Metal Cooling
- Crisper Drawer
- Power Freeze Mode
- Eco Mode
- Door Alarm
- LED Control Panel





## FrostLine Refrigerator

MMFT450MG

|                          |                          |                       |                  |
|--------------------------|--------------------------|-----------------------|------------------|
| Net Capacity (L)         | : 480                    | No. of Shelves        | : 4              |
| Net Freezer Capacity (L) | : 110                    | No. of Door Pocket    | : 4              |
| Net Fridge Capacity (L)  | : 370                    | Vegetable Compartment | : Crisper Drawer |
| Product Dimension        | : W800 * D690 * H1780 mm | Deodorizing Filter    | : Yes            |
| Packaging Dimension      | : W835 * D717 * H1860 mm | Ice Tray              | : Yes            |
| Door Color               | : Metal Grey             | LED Light             | : Yes            |
| Inverter                 | : Yes                    | External LED Display  | : Yes            |
| Energy Tick              | : 3 Ticks                | Reversible Door       | : Yes            |
| Power Cool Mode          | : Yes                    | Net Weight            | : 80 KGS         |
| Fresh Zone Compartment   | : Yes                    | Gross Weight          | : 88 KGS         |

### FEATURES

- Dual Tech Inverter
- No Frost
- Anti-Bacterial & Odour Filter
- Fresh Zone
- All-Zone Cooling
- LED Light
- Twisted Ice Maker
- Power Cool Mode





## FrostLine Refrigerator

MMFT400MG

|                          |                          |                       |                  |
|--------------------------|--------------------------|-----------------------|------------------|
| Net Capacity (L)         | : 415                    | No. of Shelves        | : 4              |
| Net Freezer Capacity (L) | : 94                     | No. of Door Pocket    | : 5              |
| Net Fridge Capacity (L)  | : 321                    | Vegetable Compartment | : Crisper Drawer |
| Product Dimension        | : W710 * D685 * H1780 mm | Deodorizing Filter    | : Yes            |
| Packaging Dimension      | : W729 * D703 * H1832 mm | Ice Tray              | : Yes            |
| Door Color               | : Metal Grey             | LED Light             | : Yes            |
| Inverter                 | : Yes                    | External LED Display  | : Yes            |
| Energy Tick              | : 3 Ticks                | Reversible Door       | : Yes            |
| Power Cool Mode          | : Yes                    | Net Weight            | : 63 KGS         |
| Fresh Zone Compartment   | : Yes                    | Gross Weight          | : 70 KGS         |

### FEATURES

- Dual Tech Inverter
- No Frost
- Anti-Bacterial & Odour Filter
- Fresh Zone
- All-Zone Cooling
- LED Light
- Twisted Ice Maker
- Power Cool Mode





## FrostLine Refrigerator

MMFT350MG

|                          |                          |                       |                  |
|--------------------------|--------------------------|-----------------------|------------------|
| Net Capacity (L)         | : 334                    | No. of Shelves        | : 4              |
| Net Freezer Capacity (L) | : 77                     | No. of Door Pocket    | : 5              |
| Net Fridge Capacity (L)  | : 257                    | Vegetable Compartment | : Crisper Drawer |
| Product Dimension        | : W605 * D670 * H1705 mm | Deodorizing Filter    | : Yes            |
| Packaging Dimension      | : W628 * D690 * H1756 mm | Ice Tray              | : Yes            |
| Door Color               | : Metal Grey             | LED Light             | : Yes            |
| Inverter                 | : Yes                    | External LED Display  | : No             |
| Energy Tick              | : 3 Ticks                | Reversible Door       | : Yes            |
| Power Cool Mode          | : No                     | Net Weight            | : 54 KGS         |
| Fresh Zone Compartment   | : Yes                    | Gross Weight          | : 60 KGS         |

### FEATURES

- Dual Tech Inverter
- No Frost
- Anti-Bacterial & Odour Filter
- Fresh Zone
- All-Zone Cooling
- LED Light
- Twisted Ice Maker



# WINE CHILLERS

Preserve every bottle at its best with precise, consistent cooling. Designed to maintain optimal temperature and humidity, our wine chillers protect flavour, aroma, and character. With sleek designs and quiet performance, they're the perfect addition for stylish homes and serious wine lovers alike.





## 34 Bottles Wine Chiller

MMWC34BCS

|                     |                                |
|---------------------|--------------------------------|
| Capacity (Bottle)   | : 34                           |
| Total Volume (in l) | : 95                           |
| Glass Door          | : Triple-Layer Glass (Anti UV) |
| Dual Low Emissivity | : Yes                          |
| Shelves             | : Wooden (Removable)           |
| No. of Shelves      | : 6                            |
| Display             | : LED Display                  |
| Control Panel       | : Touch Control                |
| Temperature Range   | : 4-18°C                       |
| LED Light           | : Yes (White)                  |
| Handle              | : Recess                       |
| Compressor          | : Direct Cooling               |
| Overall Dimensions  | : L478 * W480 * H828 mm        |
| Packing Dimension   | : L520 * W510 * H870 mm        |
| Rated Voltage       | : 220-240V~ 50Hz               |
| Refrigerant         | : R600a                        |
| Climate Class       | : N,SN                         |
| Net Weight          | : 27 KGS                       |
| Gross Weight        | : 30 KGS                       |

## 20 Bottles Wine Chiller

MMWC20BCS

|                     |                                |
|---------------------|--------------------------------|
| Capacity (Bottle)   | : 20                           |
| Total Volume (in l) | : 62                           |
| Glass Door          | : Triple-Layer Glass (Anti UV) |
| Dual Low Emissivity | : Yes                          |
| Shelves             | : Wooden (Removable)           |
| No. of Shelves      | : 4                            |
| Display             | : LED Display                  |
| Control Panel       | : Touch Control                |
| Temperature Range   | : 4-18°C                       |
| LED Light           | : Yes (White)                  |
| Handle              | : Recess                       |
| Compressor          | : Direct Cooling               |
| Overall Dimensions  | : L430 * W488 * H633 mm        |
| Packing Dimension   | : L460 * W515 * H660 mm        |
| Rated Voltage       | : 220-240V~ 50Hz               |
| Refrigerant         | : R600a                        |
| Climate Class       | : N,SN                         |
| Net Weight          | : 22 KGS                       |
| Gross Weight        | : 24 KGS                       |

### FEATURES

- Triple-Layer Glass (Anti UV)
- Removable Wooden Shelves
- LED Display
- Inclined Touch Control Panel
- Direct Cooling Compressor






## 165 Bottles Wine Chiller

MMWCI 65GM

|                     |                          |
|---------------------|--------------------------|
| Capacity            | : 165 bottles            |
| Gross Capacity      | : 425 L                  |
| Temperature Setting | : 5-20°C                 |
| Voltage             | : 220-240V/50Hz          |
| Wattage             | : 130 W                  |
| Product Dimension   | : L595 * W699 * H1802 mm |
| Packaging Dimension | : L650 * W775 * H1970 mm |
| Net Weight          | : 106 KGS                |
| Gross Weight        | : 119 KGS                |



### FEATURES

- 14 Telescopic Beech Wooden Shelves
- Touch Buttons with LCD Temperature Display
- Adjustable Feet
- Built-In Lock
- Freestanding and Built-In (Fully Recessed) Installation





## 94 Bottles Wine Chiller

MMWC94GM

|                     |                 |                     |                          |
|---------------------|-----------------|---------------------|--------------------------|
| Capacity            | : 94 bottles    | Product Dimension   | : L595 * W550 * H1602 mm |
| Gross Capacity      | : 275 L         | Packaging Dimension | : L650 * W620 * H1810 mm |
| Temperature Setting | : 5-20°C        | Net Weight          | : 84 KGS                 |
| Voltage             | : 220-240V/50Hz | Gross Weight        | : 97 KGS                 |
| Wattage             | : 115 W         |                     |                          |

### FEATURES

- 2-Layered Heated Glass Door
- Dual Zone with Temperature between 5 - 20°C
- 8 Telescopic Beech Wooden Shelves
- Touch Buttons with LCD Temperature Display
- White LED Interior Strip Lights
- Adjustable Feet
- Charcoal Filtration System to maintain an Odour-Free Cabinet
- Built-In Lock
- Freestanding and Built-In (Fully Recessed) Installation




## 46 Bottles Wine Chiller

MMWC46GM

|                     |                 |                     |                         |
|---------------------|-----------------|---------------------|-------------------------|
| Capacity            | : 46 bottles    | Product Dimension   | : L595 * W578 * H820 mm |
| Gross Capacity      | : 145 L         | Packaging Dimension | : L660 * W625 * H874 mm |
| Temperature Setting | : 5-20°C        | Net Weight          | : 49 KGS                |
| Voltage             | : 220-240V/50Hz | Gross Weight        | : 52 KGS                |
| Wattage             | : 95 W          |                     |                         |

### FEATURES

- 2-Layered Heated Glass Door
- Dual Zone with Temperature between 5 - 20°C
- 5 Telescopic Beech Wooden Shelves
- Touch Buttons with LCD Temperature Display
- White LED Interior Strip Lights
- Adjustable Feet
- Charcoal Filtration System to maintain an Odour-Free Cabinet
- Built-In Lock
- Freestanding and Built-In (Fully Recessed) Installation







## Wine Chiller

MMWC99MAG

|                        |                          |
|------------------------|--------------------------|
| Gross Capacity         | : 230 L                  |
| Voltage                | : 220-240V~50/60Hz       |
| Wattage                | : 253 kWh/ year          |
| Leveling Leg           | : 15-22 cm               |
| Electrical Cord Length | : 170 mm                 |
| Plug Type              | : No Plug                |
| Product Dimension      | : L595 * W590 * H1215 mm |
| Net Weight             | : 53 KGS                 |
| Gross Weight           | : 60 KGS                 |

### FEATURES

- Stainless Steel Door Frame-Trimmed
- Seamless Design
- 99 Bottles Capacity
- Blue LED Interior Touch Control
- 3 Layer Glass Door for Enhanced UV Protection
- External Handle
- Temperature Range: 5-18°C
- Compressor Direct Cooling
- Touch Control
- LED Light
- 6 Removable Wooden Shelves
- Free-Standing Installation Only




## 48 Bottles Wine Chiller

MMWC48MAG

|                     |                                |                    |                         |
|---------------------|--------------------------------|--------------------|-------------------------|
| Capacity (Bottle)   | : 48                           | Handle             | : Recess                |
| Total Volume (in l) | : 128                          | Compressor         | : Direct Cooling        |
| Glass Door          | : Triple-Layer Glass (Anti UV) | Overall Dimensions | : L540 * W540 * H830 mm |
| Dual Low Emissivity | : Yes                          | Packing Dimension  | : L580 * W590 * H865 mm |
| Shelves             | : Wooden (Removable)           | Rated Voltage      | : 220-240V~ 50Hz        |
| No. of Shelves      | : 6                            | Refrigerant        | : R600a                 |
| Display             | : LED Display                  | Climate Class      | : N,SN                  |
| Control Panel       | : Touch Control                | Net Weight         | : 30 KGS                |
| Temperature Range   | : 4-18°C                       | Gross Weight       | : 33 KGS                |
| LED Light           | : Yes (White)                  |                    |                         |

### FEATURES

- Triple-Layer Glass (Anti UV)
- Removable Wooden Shelves
- LED Display
- Inclined Touch Control Panel
- Direct Cooling Compressor





## Wine Chiller

MMWC28MAG

|                        |                    |                     |                         |
|------------------------|--------------------|---------------------|-------------------------|
| Gross Capacity         | : 88 L             | Plug Type           | : No Plug               |
| Voltage                | : 220-240V~50/60Hz | Product Dimension   | : L430 * W480 * H825 mm |
| Wattage                | : 198 kWh/year     | Packaging Dimension | : L460 * W515 * H845 mm |
| Leveling Leg           | : 15-22 cm         | Net Weight          | : 26 KGS                |
| Electrical Cord Length | : 170 mm           | Gross Weight        | : 28 KGS                |

### FEATURES

- Tempered Glass Door
- 28 Bottles Capacity
- Seamless Design
- Blue LED Interior Touch Control
- 3 Layer Glass Door for Enhanced UV Protection
- Temperature Range: 4-18°C
- Compressor Direct Cooling
- LED Light
- 6 Removable Wooden Shelves
- Touch Control
- Free-Standing Installation Only



## MAYER MARKETING PTE LTD



### HQ Office

71 Ubi Crescent #06-02

Excalibur Centre

Singapore 408571



+65 6542 8383

---

## OUR SHOWROOMS

- » Causeway Point #03-13
- » Century Square #B1-06
- » Chinatown Point #B1-39
- » IMM Building #02-66
- » Pasir Ris Mall #B2-22
- » Plantation Plaza #02-03
- » Sengkang Grand Mall #01-31
- » SingPost Centre #B1-132

